



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/015,165	12/11/2001	Jean Louis Calvignac	RAL920000118US1	3303
25299	7590	04/08/2004	EXAMINER	
IBM CORPORATION PO BOX 12195 DEPT 9CCA, BLDG 002 RESEARCH TRIANGLE PARK, NC 27709			CHOJNACKI, MELLISSA M	
			ART UNIT	PAPER NUMBER
			2175	
DATE MAILED: 04/08/2004				

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/015,165

Applicant(s)

CALVIGNAC ET AL.

Examiner

Melissa M. Chojnacki

Art Unit

2175

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-25 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-25 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☒ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
- a) ☐ The translation of the foreign language provisional application has been received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 4.

- 4) ☐ Interview Summary (PTO-413) Paper No(s) ____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: ____

DOVPOPOVICI
SUPERVISORY PATENT EXAMINER
PATENT CENTER 2100

DETAILED ACTION

Specification

The specification is objected to because:

1. The abstract contains the phrase "are disclosed" in line 1 and "the disclosed structure" in line 7. The abstract should not contain "disclosed ". Correction is required.
2. Applicant is reminded of the proper language and format for an abstract of the disclosure.

The abstract should be in narrative form and generally limited to a single paragraph on a separate sheet within the range of 50 to 150 words. It is important that the abstract not exceed 150 words in length since the space provided for the abstract on the computer tape used by the printer is limited. The form and legal phraseology often used in patent claims, such as "means" and "said," should be avoided. The abstract should describe the disclosure sufficiently to assist readers in deciding whether there is a need for consulting the full patent text for details.

The language should be clear and concise and should not repeat information given in the title. It should avoid using phrases which can be implied, such as, "The disclosure concerns," "The disclosure defined by this invention," "The disclosure describes," etc.

Claim Objections

3. Claims 17-18 and 20 are objected to because of the following informalities:
Claims 17 and 20 contain the words "and/or ". They should not contain "and/or", it should either be "and" or "or". Appropriate correction is required.

Claim 18 is objected to because it is dependent on objected claim 17.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 5, 8-15 and 17-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (U.S. Patent No. 6,691,124) further in view of Spinney (U.S. Patent No. 5,417,704).

As to claim 1, Gupta et al. teaches a search method (See abstract) comprising the acts of:

a) using N bits, N being an integer, from a packet as an index into a data structure including a Direct Table with at least one entry and a tree structure operatively coupled to the one entry (See abstract; column 2, lines 4-10);

h) setting a threshold based upon a first predetermined characteristic of the tree structure (See column 6, lines 63-67; column 7, lines 1-5; column 9, lines 2-11, where "node" is read on "predetermined characteristic");

c) using select bits from the packet to traverse the tree structure until the threshold is met (See column 4, lines 47-50).

Gupta et al. does not teach storing in a Contents Address Memory (CAM) at least one entry based upon a predetermined characteristic of the packet and a second

Art Unit: 2175

predetermined characteristic of the tree structure; and using the at least one entry to access a memory location whereat action to be taken relative to the packet is stored.

Spinney teaches address lookup in a packet data communications link, using hashing and content-addressable memory (See abstract), in which he teaches

d) storing in a Contents Address Memory (CAM) at least one entry based upon a predetermined characteristic of the packet and a second predetermined characteristic of the tree structure (See abstract; column 2, lines 8-10; column 26, lines 55-58); and

e) using the at least one entry to access a memory location whereat action to be taken relative to the packet is stored (See column 9, lines 26-28).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al., to include storing in a Contents Address Memory (CAM) at least one entry based upon a predetermined characteristic of the packet and a second predetermined characteristic of the tree structure; and using the at least one entry to access a memory location whereat action to be taken relative to the packet is stored.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al., by the teachings of Spinney because storing in a Contents Address Memory (CAM) at least one entry based upon a predetermined characteristic of the packet and a second predetermined characteristic of the tree structure; and using the at least one entry to access a memory location whereat action to be taken relative to the packet is stored would be more efficient in space, time and cost, compared to prior methods (See Spinney, column 2, lines 65-67).

Art Unit: 2175

As to claim 5, Gupta et al. as modified, teaches wherein the first predetermined characteristic includes nodes and the threshold is set to a count of the nodes (See Gupta et al., column 6, lines 63-67; column 7, lines 1-5; column 9, lines 2-11; Spinney, column 3, lines 12-17).

As to claim 8, Gupta et al. teaches a method for correlating a search key with a database (See column 25, lines 32-34, where "address lookup" is read on "search key") comprising the acts of :

a) using N bits, $N > 1$, from the search key as an index into the database including entries having a Direct Table with at least one entry and a tree structure operatively coupled to the one entry (See abstract; column 2, lines 4-10);

b) setting a threshold based upon a first predetermined characteristic of the tree structure (See column 6, lines 63-67; column 7, lines 1-5; column 9, lines 2-11, where "node" is read on "predetermined characteristic"); and

c) using M bits ($M > 1$) from the search key to access the tree structure until the threshold is met (See column 4, lines 1-17; column 6, lines 63-67).

Gupta et al. does not teach reading from a CAM information that indicates action to be taken relative to the search key.

Spinney teaches address lookup in a packet data communications link, using hashing and content-addressable memory (See abstract), in which he teaches

Art Unit: 2175

d) reading from a CAM information that indicates action to be taken relative to the search key (See abstract; column 2, lines 8-10; column 26, lines 55-58).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al., to include reading from a CAM information that indicates action to be taken relative to the search key.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al., by the teachings of Spinney because reading from a CAM information that indicates action to be taken relative to the search key would be more efficient in space, time and cost, compared to prior methods (See Spinney, column 2, lines 65-67).

As to claim 9, Gupta et al. as modified, teaches wherein the search key includes a portion of a data packet (See Gupta et al., column 1, lines 12-16).

As to claim 10, Gupta et al. as modified, teaches wherein the information includes the address of a leaf in which the action is stored (See Gupta et al., column 2, lines 11-17).

As to claim 11, Gupta et al. as modified, teaches wherein the reading step further includes the step of using the N bits as index into the CAM (See Spinney, column 3, lines 27-33).

As to claim 12, Gupta et al. teaches at least one memory device, operatively coupled to the processor complex, that stores data structures including a Direct Table, nodes and leaves operatively chained together (See abstract; column 2, lines 4-10); and

Gupta et al. does not teach an apparatus comprising:

an embedded processor complex including a plurality of protocol processors; a control point processor operatively coupled to the processor complex; a plurality of hardware accelerator co-processors accessible to each protocol processor and providing high speed pattern searching, data manipulation and frame parsing; and a Memory location operatively coupled to the processor complex and storing a value representative of the maximum number of nodes to be accessed during a tree search routine.

Spinney teaches address lookup in a packet data communications link, using hashing and content-addressable memory (See abstract), in which he teaches an apparatus (See column 26, lines 62-64) comprising:

an embedded processor complex including a plurality of protocol processors (See column 5, lines 45-49);

a control point processor operatively coupled to the processor complex (See column 5, lines 45-49; column 6, lines 8-13);

a plurality of hardware accelerator co-processors accessible to each protocol processor and providing high speed pattern searching, data manipulation and frame parsing (See column 4, lines 7-13; column 6, lines 14-21; column 14, lines 55-61); and

a Memory location operatively coupled to the processor complex and storing a value representative of the maximum number of nodes to be accessed during a tree search routine (See column 3, lines 12-17, lines 25-30).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al., to include an apparatus comprising: an embedded processor complex including a plurality of protocol processors; a control point processor operatively coupled to the processor complex; a plurality of hardware accelerator co-processors accessible to each protocol processor and providing high speed pattern searching, data manipulation and frame parsing; and a Memory location operatively coupled to the processor complex and storing a value representative of the maximum number of nodes to be accessed during a tree search routine.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al., by the teachings of Spinney because an apparatus comprising: an embedded processor complex including a plurality of protocol processors; a control point processor operatively coupled to the processor complex; a plurality of hardware accelerator co-processors accessible to each protocol processor and providing high speed pattern searching, data manipulation and frame parsing; and a Memory location operatively coupled to the processor complex and storing a value representative of the maximum number of nodes to be accessed during a tree search routine would be more efficient in space, time and cost, compared to prior methods (See Spinney, column 2, lines 65-67).

As to claim 13, Gupta et al. as modified, teaches further including a Contents Address Memory (CAM) operatively coupled to the processor complex and storing a pointer identifying a location whereat a leaf is stored (See Spinney, column 5, lines 45-59).

As to claim 14, Gupta et al. as modified, teaches wherein the leaf contains information on actions to be taken relative to a packet (See Gupta et al., abstract; column 2, lines 14-17).

As to claim 15, Gupta et al. as modified, teaches wherein the CAM further includes an indicia paired with the pointer the indicia being selected from a portion of the packet (See Spinney, column 16, lines 20-25).

As to claim 17, Gupta et al. as modified, teaches further including a circuit that deletes pointers from the CAM based upon leaf adjustments in the tree structure and/or NONE use of the information within a predetermined time interval (See Gupta et al., column 7, lines 7-9; where "insertion or a node removal" are read on "leaf adjustments"; Spinney, column 16, lines 20-25).

As to claim 18, Gupta et al. as modified, teaches wherein the leaf adjustments include deletion (See Gupta et al., column 7, lines 7-9; where “node removal” is read on “deletion”).

As to claim 19, Gupta et al. as modified, teaches wherein the Control Point Processor is programmed to generate and forward frames containing information that adjusts the data structure (See Gupta et al., column 7, lines 1-12; Spinney, column 6, lines 8-13).

As to claim 20, Gupta et al. as modified, teaches wherein the adjustment includes leaf deletion and/or insertion (See Gupta et al., column 7, lines 7-9; lines 20-25; where “node removal” is read on “deletion”).

As to claim 21, Gupta et al. teaches a data structure (See abstract) comprising:
a Direct Table having at least two entries (See abstract; column 2, lines 4-10);
a tree structure operatively coupled to the at least two entries and having a plurality of nodes and leaves operatively chained together (See column 4, lines 1-17);
and

Gupta et al. does not teach a storage storing a threshold value indicating the maximum number of nodes to be accessed during a walk of the tree structure.

Spinney teaches address lookup in a packet data communications link, using hashing and content-addressable memory (See abstract), in which he teaches a

Art Unit: 2175

storage storing a threshold value indicating the maximum number of nodes to be accessed during a walk of the tree structure (See column 3, lines 12-17).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al., to include a storage storing a threshold value indicating the maximum number of nodes to be accessed during a walk of the tree structure.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al., by the teachings of Spinney because a storage storing a threshold value indicating the maximum number of nodes to be accessed during a walk of the tree structure would be more efficient in space, time and cost, compared to prior methods (See Spinney, column 2, lines 65-67).

As to claim 22, Gupta et al. as modified, teaches further including Contents Address Memory, CAM, in which leaf information is stored if the leaf is connected to a node above the threshold value (See Gupta et al., column 4, lines 1-17).

As to claim 23, Gupta et al. as modified, teaches further including a co-processor responsive to at least a command to use part of the DA of a packet to index into the DT and the remaining part of the DA to search the associated tree, the co-processor selecting, information stored in a leaf if the leaf is attached to a node below the threshold value or selecting information stored in the CAM if the leaf is attached to a

Art Unit: 2175

node above the threshold value (See Gupta et al., column 7, lines 1-12; Spinney, column 14, lines 48-66).

As to claim 24, Gupta et al. teaches a system (See abstract) comprising:
a tree walk logic responsive to use the key to walk a tree structure until a threshold is reached (See column 4, lines 1-17; column 5, lines 14-17; column 7, lines 39-42).

Gupta et al. does not teach a processor to provide a key extracted from a data packet; a CAM controller to use the key to search a CAM; and a controller that uses the first available result front the tree walk logic or the CAM controller to determine an action to be taken relative to the data packet.

Spinney teaches address lookup in a packet data communications link, using hashing and content-addressable memory (See abstract), in which he teaches

a processor to provide a key extracted from a data packet (See column 5, lines 45-49);

a CAM controller to use the key to search a CAM (See column 9, lines 26-28; column 14, lines 48-52; 62-66); and

a controller that uses the first available result front the tree walk logic or the CAM controller to determine an action to be taken relative to the data packet (See column 6, lines 8-13).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al., to include a

Art Unit: 2175

processor to provide a key extracted from a data packet; a CAM controller to use the key to search a CAM; and a controller that uses the first available result from the tree walk logic or the CAM controller to determine an action to be taken relative to the data packet.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al., by the teachings of Spinney because a processor to provide a key extracted from a data packet; a CAM controller to use the key to search a CAM; and a controller that uses the first available result from the tree walk logic or the CAM controller to determine an action to be taken relative to the data packet would be more efficient in space, time and cost, compared to prior methods (See Spinney, column 2, lines 65-67).

As to claim 25, Gupta et al. teaches a search method (See abstract) comprising the acts of

- (a) providing a key extracted from a data packet (See abstract);
- (b) using the key by a tree walk logic to search a tree structure until a threshold is reached (See column 4, lines 1-17; column 5, lines 14-17; column 7, lines 39-42);

Gupta et al. does not teach using the key by a CAM controller to search a CAM; and using the first result from acts (b) or (c) to determine an action to be taken relative to the data packet.

Spinney teaches address lookup in a packet data communications link, using hashing and content-addressable memory (See abstract), in which he teaches

(c) using the key by a CAM controller to search a CAM (See column 9, lines 26-28; column 14, lines 48-52; 62-66); and

using the first result from acts (b) or (c) to determine an action to be taken relative to the data packet (See column 14, lines 48-52; 62-66).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al., to include using the key by a CAM controller to search a CAM; and using the first result from acts (b) or (c) to determine an action to be taken relative to the data packet.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al., by the teachings of Spinney because using the key by a CAM controller to search a CAM; and using the first result from acts (b) or (c) to determine an action to be taken relative to the data packet would be more efficient in space, time and cost, compared to prior methods (See Spinney, column 2, lines 65-67).

6. Claims 2-4, 6-7 and 16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gupta et al. (U.S. Patent No. 6,691,124) in view of Spinney (U.S. Patent No. 5,417,704), as applied to claims 1, 5, 8-15 and 17-25 above, and further in view of Weaver (U.S. Patent No. 6,173,384).

As to claim 2, Gupta et al. as modified, still does not teach wherein N includes the first sixteen bits of a Destination MAC Address.

Weaver teaches a method of searching for a data element in a data structure (See abstract) in which, he teaches wherein N includes the first sixteen bits of a Destination MAC Address (See column 4, lines 43-49; column 5, lines 25-32).

Therefore, it would have been obvious to a person having ordinary skill in the art at the time of the invention was made to have modified Gupta et al. as modified, to include wherein N includes the first sixteen bits of a Destination MAC Address.

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Gupta et al. as modified, by the teachings of Weaver because wherein N includes the first sixteen bits of a Destination MAC Address would reduce the chance of a collision, or if a collision occurs, reduces the number of subsequent searches required to find the index values (See Weaver, column 5, lines 17-23).

As to claim 3, Gupta et al. as modified, teaches wherein the tree structure includes a plurality of nodes and leaves operatively coupled to selected nodes (See Gupta et al., column 2, lines 10-14; column 4, lines 1-17).

As to claim 4, Gupta et al. as modified, teaches Pattern Search Control Blocks (PSCBs) carrying search information positioned at selected nodes (See Gupta et al.,

column 2, lines 14-17, where "search nodes" is read on "Pattern search Control Blocks (PSCBs)"; column 3, lines 59-63).

As to claim 6, Gupta et al. as modified, as modified, teaches wherein the selected bits include the remaining thirty-two bits of the Destination MAC Address (See Weaver, column 4, lines 43-49; column 5, lines 25-32).

As to claim 7, Gupta et al. as modified, teaches wherein the second predetermined characteristic includes leaves (See Gupta et al., column 2, lines 10-14; column 9, lines 4-11, where "node" is read on "predetermined characteristic").

As to claim 16, Gupta et al. as modified, teaches wherein the indicia includes a portion of a Destination MAC Address in the packet (See Weaver, column 4, lines 43-49; column 5, lines 25-32).

Conclusion

7. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

The following patents are cited to further show the state of the art with respect to Hybrid search memory for network processor and computer systems in general:

U.S. Patent No. 6,553,002 to Bremer et al., for disclosing an apparatus and method for routing data packets through a communications network.

Art Unit: 2175


U.S. Patent No. 6,061,712 to Tzeng, for disclosing a method for IP routing table look-up.

8. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mellissa M. Chojnacki whose telephone number is 730-305-8769. The examiner can normally be reached on 8:30am-5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Dov Popovici can be reached on 703-305-3830. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mmc
April 1, 2004


DOV POPOVICI
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100